infoblox.

DATASHEET

Infoblox Virtual Appliance Software for Hyper-V


AUTOMATED DNS, DHCP AND IPAM (DDI) INFRASTRUCTURE

Infoblox Virtual Appliance Software for Microsoft Hyper-V leverages Hyper-V virtualization technology, running Infoblox services and management features as a family of virtual appliances on Hyper-V. It is fully integrated with the Infoblox Grid[™] and supports mixed physical and virtual appliance deployments.

Infoblox Virtual Software for Microsoft Hyper-V is a full-featured software instance of Infoblox DDI and offers a full suite of core network services—including DNS, DHCP, IPAM, FTP, TFTP, HTTP and NTP protocol servers. Infoblox Network Insight and Infoblox Reporting Virtual Software for Hyper-V provide unprecedented data and views to help administrators better manage their networks, validate designs, effectively provision, troubleshoot and deliver network services.

Reduced Rack Space, Power and Cooling Requirements in the Data Center

Infoblox Virtual Software for Hyper-V runs on existing hardware, saving equipment rack space and reducing power and cooling costs, enabling organizations to lower their Total Cost of Ownership (TCO) and build an environmentally friendly infrastructure.



SOLUTION HIGHLIGHTS

- Save power and environment resources by reducing the number of servers and appliances
- Lower TCO by saving hardware, power, cooling and real-estate costs
- Deploy easily using your standard virtualization practices
- Benefit from increased resilience and availability of Microsoft Hyper-V environments

Example of Infoblox Virtual Software for Hyper-V deployed in an Infoblox Grid

Increased Resilience and Availability

Infoblox Virtual Software for Hyper-V replicates all the redundancy, high availability and disaster recovery features of Infoblox hardware appliances. Customers will gain all the proven reliability and uptime benefits of an Infoblox solution while taking advantage of the cost advantages of Hyper-V virtualization. The virtual appliances can be deployed on supporting Microsoft server just like any other virtual machine instance with no additional steps required.

Local Survivability at the Branch Office

Infoblox Virtual Software for Hyper-V provides an easy alternative to deploying hardware appliances at the branch office while still providing highly available DNS and DHCP services.

INFOBLOX VIRTUAL SOFTWARE IS KEY TO THE SUCCESS OF YOUR VIRTUALIZED INFRASTRUCTURE

Automate IP Address Management (IPAM) for Virtual Resources

In a virtualized environment, servers are created, moved and shutdown frequently, increasing IT workload for configuring and managing IP assignments and DNS records. Infoblox DNS, DHCP and IPAM solutions provide management automation to reduce administrative effort and eliminate human errors that can cause application availability problems.

Improve IPAM Visibility and Control

Infoblox Virtual Software for Hyper-V IPAM provides advanced network discovery (including virtual resources), network and IP mapping and advanced filtering through innovative features such as "Smart Folders." An easy-to-use graphical user interface provides template-based configuration, automated error prevention, and real-time visibility monitoring and reporting.

Delegate DDI Tasks to Relevant Owners

Infoblox Virtual Software for Hyper-V provides secure role-based administration and auditing capabilities to allow effective delegation of responsibilities in a virtualized environment. With Infoblox IPAM tools the network and the data center or server teams can effectively collaborate and work together more effectively.

Improve Visibility of Infrastructure Device Data

Infoblox Network Insight virtual software for Hyper-V integrates infrastructure device data with IP address management. The collection and correlation of this data provides unprecedented visibility to help administrators better manage their networks, validate designs, effectively provision, troubleshoot and deliver network services.

Access Long-Term Trending, Reporting and Analysis

Infoblox Reporting leverages our unique platform for real-time views and management of DNS, DHCP, IP Address Management (IPAM) and Network Services Security to provide long-term reporting, trending and tracking. Integrated with our Grid technology, Infoblox Reporting enhances real-time management of networks and network services through an extensive, customizable and historical reporting engine.

Centrally Manage your Entire DDI Infrastructure

Each instance of the Virtual Appliance software running on a Hyper-V appears to the Infobiox Grid as any other Grid member, with all the benefits of distributed services and centralized management. These include centralized backup and restoration of user data, DHCP failover capabilities, one-touch software upgrades, DNS without latency and many other benefits of the Infobiox solution.

SOFTWARE APPLIANCE SPECIFICATIONS¹

TE-906, 1506, 1606, 2306, 4106 Software Appliances					
Hypervisor (Private Cloud) supported	VMWare ESXi, MS Hyper-V, Nutanix AHV, OpenStack and KVM				
Public cloud platform supported	AWS, GCP, MS Azure and OCI				

TR-5005 Software Appliance						
Indexing capacity	500MB, 1GB, 2GB, 5GB, 10GB, 20GB, 50GB, 100GB, 200GB, and 500GB					
Hypervisor (Private Cloud) supported	VMWare ESXi, MS Hyper-V, Nutanix AHV, and OpenStack KVM					
Public cloud platform supported	AWS and MS Azure					

1 Hardware and Software Compatibility: Because some models do not support SFP (Small Form-Factor Pluggable) interfaces, and some platforms may support a subset of appliances, please confirm compatibility with your account team or Infoblox Support.

TRINZIC X6 SOFTWARE AND PERFORMANCE

Infoblox Trinzic X6 Appliances								
Appliance	TE-906	TE-1506	TE-1606	TE-2306	TE-4106			
Software Supported ²	TE-926/825 /815 ND-906/805	TE-1516/1415	TE-1526/1425 ND-1606/1405 TR-5005/1405	TE- 2326/2225/2215, ND-2306/2205 TR-5005/2205	TE-4126/4025/ 4015 ND-4106/4005 TR-5005/4005			
Hardware Redundancy	TE-906: One AC power supply TE-906- 2AC: Two AC power supplies	Optional second hot- swappable redundant power supply Field- replaceable hard disk	Two hot-swappable redundant power supplies Field-replaceable hard disk in Redundant Array of Independent Disks (RAID)	Two hot-swappable redundant power supplies Field-replaceable fans and hard disks in Redundant Array of Independent Disks (RAID)				
Available with Optional Quad 10GE NIC Card with SFP/SFP+	NA	Yes	Yes	Yes				
Reporting and Analytics Indexing Capacity Per Day	NA	NA	500MB - 10GB	500MB - 20GB	500MB - 50GB			

² Hardware/Software Compatibility and Capability: Trinzic X6 appliances can host Trinzic X6 or X5 subscriptions. Infoblox products have cryptography technology capability.

infoblox.

Infoblox Trinzic X6 Software Performance								
Appliance	TE-926	TE-1516	TE-1526	TE-2326	TE-4126			
DNS Queries per Second ³	33.75K	67.5K	112.5K	250K	450K			
DHCP Leases per Second ³	225	400	675	1,200	1,500			
CPU ⁴	4 core	6 core	6 core	10 core	16 core			
RAM ⁴	32 GB	64 GB	64 GB	192 GB	384 GB			
Storage ⁴	1 TB	1 TB	1 TB	8 TB	16 TB			
Hypervisor (Private Cloud) Supported	VMWare ESXi, MS Hyper-V, Nutanix AHV, OpenStack and KVM							
Public/ Multi-Cloud Platform Supported	AWS, GCP, MS Azure and OCI							

³ The stated performance numbers are for reference only. They represent the results of lab testing in a controlled environment focused on individual protocol services. Enabling additional protocols, services, cache hit ratio for recursive DNS, and customer environment variables will affect performance. To design and size a solution for a production environment, please contact your Infoblox Solution Architect.

⁴ CPU, RAM and Storage requirements can vary by public cloud platform, hypervisor and image type. To identify performance requirements for your production environment, please see the relevant installation guide for specifications and contact your Infoblox Solution Architect.



Infoblox unites networking and security to deliver unmatched performance and protection. Trusted by Fortune 100 companies and emerging innovators, we provide real-time visibility and control over who and what connects to your network, so your organization runs faster and stops threats earlier. Corporate Headquarters 2390 Mission College Blvd, Ste. 501 Santa Clara, CA 95054

in

0

+1.408.986.4000 www.infoblox.com

6 🗙

© 2024 Infoblox, Inc. All rights reserved. Infoblox logo, and other marks appearing herein are property of Infoblox, Inc. All other marks are the property of their respective owner(s).

Version: 20240830v2